

## A Service-Oriented E-Commerce Reference Architecture

Fabian Aulkemeier<sup>1</sup>, Milan Schramm<sup>2</sup>, Maria-Eugenia Iacob<sup>1</sup>, and  
Jos van Hillegersberg<sup>1</sup>

<sup>1,2</sup> University of Twente, Centre for Telematics and Information Technology, Enschede, The Netherlands,  
<sup>1</sup>{f.m.aulkemeier, m.e.iacob, j.vanhillegersberg}@utwente.nl  
<sup>2</sup>m.l.j.schramm@alumnus.utwente.nl

Received 1 November 2013; received in revised form 28 April 2015; accepted 29 April 2015

### Abstract

Electronic commerce (e-commerce) is getting more and more important in people's every day shopping routines. Vendors who want to establish an online channel besides their traditional retail practice have to integrate the two supply chains. The underlying information technology systems should be able to support the integration of the new and old processes. While reference models are a popular means in designing this type of systems, the existing reference models in the field of e-commerce only give insight into the business processes and ignore the entire enterprise architecture. In this paper we address the lack of such a comprehensive reference architecture. Based on a systematic literature review, on current trends, and best practices in e-commerce landscapes we derive a reference model for service-oriented e-commerce architectures. The proposed architecture integrates new business partners and customers into the internal processes.

**Keywords:** E-commerce, Systematic literature review, Reference model, Reference architecture, Systematic literature review, Reference model, Reference architecture, Enterprise architecture

## 1 Introduction

Market reports show a significant (above average) increase of online sales. While traditional retail sales are declining, [9] reports a continuous growth in the e-commerce market since 2007 with a raise of 8% in the first quarter of 2013. The success of this relatively new distribution channel seems to be dependent on the supply-chain performance from the supplier to the package delivery service. Without a proper coordination of these processes, effects like out-of-stock or higher prices will influence the customer satisfaction, customer loyalty [59], [70], and, eventually, the retailer's financial performance [78].

This coordination is made possible for each and every e-commerce company by different software components with specific functionality. A single e-commerce transaction involves many software components that provide different services such as searching and browsing products, initiating a transaction or payment of an order. Often these components are bundled into a single software application which makes it challenging to change or add services to the existing landscape. However, in recent years *the lack of flexibility of the monolithic software platforms* has been addressed through a new software development paradigm, namely the service-oriented architecture approach [54].

Similar to the growth of the online market, the sheer amount of approaches and technologies has increased as well. This makes the development of an aligned, change responsive, and efficient software architecture more difficult. Especially small retailers that want to establish an e-commerce channel along with their traditional business *struggle to overlook the large amount of available products and architectures*, from both the functional and technical expertise points of view. The emergence of technologies such as cloud computing, and approaches like service-orientation complement and compensate traditional silo applications, but still *require a profound understanding of many technical and architectural aspects*.

The change and the variety of the user needs is another source of challenge. One can expect, that users shift more and more in their expectations from an old-fashioned web application to a fully-functioning mobile application. With this development *offline and online shopping experience will merge and bring new challenges and opportunities for retailers*. According to [25], 56% of the European Union citizenships are expected to buy goods using e-commerce in 2015. Following the internationalization, additional challenges and competition for e-commerce companies exist. These challenges range from supply, delivery to the payment issues. According to [75], the dropout rate because of the mode of payment varies between 1% and 88%. Given the fact that the preference for different modes of payment differs significantly per country (e.g., the Dutch's prefer their national solution iDEAL [10] while Germans prefer to purchase on account [75]), satisfying the customer is an ongoing challenge.

The emerging challenges can be summarized, as lack of:

- Flexibility of the existing, monolithic systems
- Insight into all application and technology components due to the lack of existing reference architectures
- Knowledge regarding the impact of emerging technologies on current architectures
- Integration between online and offline channels

The concept of service-orientation is able to overcome these challenges as it makes currently bundled services explicit, and gives insights into what components existing architectures are built upon. It also allows to plan and implement new technologies and the integration with other previously separated systems. In order to come up with a suitable service-oriented reference model for e-commerce first an overview of all the architectural building blocks and offerings is required. Such an overview allows for making the right choices when designing an e-commerce architecture and is therefore put forward as research goal of this study. In the remainder of this paper we discuss currently used e-commerce architectures and derive best architectural practices from them. The term architecture is used here in a broad sense, as "the fundamental organization of a system embodied in its components, their relationships to each other, and to the environment, and the principles guiding its design and evolution" [40]. Our main contribution is an exhaustive study of the literature on e-commerce architectures, which is complemented by an E-Commerce Reference Architecture (ERA) that extends the known models with a concrete catalog of architectural artefacts and their relationships. The proposed architecture gives an overview of the functional building blocks which are required to fully support the execution of an e-commerce transaction and of all other related activities (e.g., fulfillment, customer support, returns, etc.). It should be noted that we are not concerned with the exact implementation of the afore-mentioned building blocks, as we assume (in the vein of the service-orientation thinking) that such concrete implementations might be available on the market in the form of (web) services (e.g., payment services). For the formal specification of the proposed reference architecture we choose to use the international architecture modeling standard ArchiMate [37].

The amount of literature on e-commerce is vast and the relevant information is scattered. Additionally the main themes of this study, such as platform, architecture or services tend to be overloaded as they are applied distinctively across the different subdomains of information system research: architecture can refer to business or enterprise architecture, to application architecture in the context of software engineering but also to infrastructure architectures, such as networking or even hardware. Thus the chosen approach for this study has to be extensive to the extent that no relevant publications are overseen and strictly selective to limit the scope to the research questions. Thus, we carry out a systematic literature review, such as proposed by [45], which defines two distinct phases for the search strategy and the study selection. We apply a double coding strategy to minimize subjectivity during the selection phase. The data extraction goes beyond a list of discussed categories and themes in e-commerce, as we are going to derive a reference model based on our findings. For the introduction of a new reference architecture we are going to make use of design science research methodology as covered in [57].

## 2 Research Design

Our research is twofold and it combines a literature study, which aims at identifying the current state of the art in e-commerce architectures with the development of a reference architecture. For this purpose, a multi-method approach is applied consisting of a systematic literature review nested into a design science research cycle.

Figure 1 visualizes the process we followed in this study: The design science research methodology described by [57] includes the following phases: 1) problem identification, 2) definition of objectives, 3) the development of an artifact, and 4) its validation. The artifact that is proposed in this study is an architectural model that outlines all the building blocks for an e-commerce solution and is based on the architectures proposed in current academic contributions in the field of e-commerce. The list of relevant literature and its categorization is presented as an intermediary artifact prior to the development of the actual architecture.

To systematically analyze the existing literature we follow the approach of [45]. This means that the process incorporates three steps: study selection, study qualification, and data extraction. The study selection is further divided into the definition of search criteria, the collection of the papers, and the application of the selection criteria.




Figure 1: Overall methodological approach

The remainder of this paper is structured according to this research process. In the next section we elaborate on the objectives of the research and the nature of its contribution. In Section 4 we describe the literature review process in depth and explore the qualitative and quantitative aspects of the literature list. In Section 5 we come up with the reference architecture as the main contribution presented in this paper. In Section 6 we are evaluating the architecture and, at the same time, the state of the art in e-commerce architectures.

### 3 Objectives

Similar to design patterns used in software engineering, reference models share the goal of providing a working solution for a common class of design problems. To achieve this goal, reference models adhere to three characteristics, namely covering best practices for solving problems in practice, being general by being applicable to a class of problems and not only one specific business case, and being reusable and customizable or adaptable to different implementation scenarios [27].

The presented architecture can be equally used by scholars and practitioners to further investigate the topic or to build solutions based on the aggregated knowledge on e-commerce architectures. As the architecture is derived from the current e-commerce research, it also gives insights into which aspects are over- or underrepresented in the current papers in the field of e-commerce.

Fettke et al. propose a framework to approach reference modeling by looking at the context, existing reference models and the modeling language [27]. In the remainder of this section we use this framework to outline the objectives for the e-commerce reference architecture model.

#### 3.1 Context

The context of the reference model describes the technical, organizational and economic scenario in which the modeling process is embedded. According to the motivation for our research we focus on an e-commerce scenario in a retail context, where the business model of the retailer is to buy and store a large quantity of goods, and resell them in smaller quantities. This e-commerce process does generally not include production of goods but can include certain activities of finishing or customization. It usually includes additional services before, during and after the selling of goods. The process includes business-to-customer (B2C) as well as business-to-business (B2B) e-commerce transactions, between the e-commerce company, its suppliers, partners and customers.

In this study we are focusing on an enterprise architecture that reflects business processes and the required IT resources. The latter should be identified in a service-oriented manner in order to allow the users of the model to escape from the application centered thinking when designing their landscape. Neither the implementation of the services, nor how they might be bundled in various application systems are important. The system owner should be able to choose and exchange the IT services according to the business needs and overcome the limitations of monolithic business applications. We are going to cover internal business services, and more importantly, services that allow communication with business partners such as suppliers and logistic service providers.

#### 3.2 Existing Models

A number of related reference models can be found in the scientific literature. Those models mostly focus on the business process of an e-commerce scenario and do not present a comprehensive architecture for e-commerce. In the following we present those models, discuss their limitations with regards to the context of this study as well as their potential reuse in the architectural model.

Becker's H-Model for retail [8] provides a domain-specific reference architecture for retail enterprises. The model describes eleven tasks within the three major groups of procurement, storage and distribution (Table 1). Different views allow the extension or simplification of the model according to business requirements. The model is based on the Architecture of Integrated Information Systems (ARIS) framework and contains three viewpoints which are business functions, processes and static data. The model originates from a traditional retail business model and ignores some functional tasks that are specific to e-commerce.

Frank's E-MEMO - Reference Business Processes and Strategies for E-Commerce [29], [30] contains a library of 85 business process models divided into nine business functions. Table 1 shows a mapping of these business functions to the functional tasks of the H-Model.

In [11] Burt and Sparks investigate the impact of e-commerce on the retail process. Their procedural model is used as a framework to compare activities, ownership, costs and efficiency in an e-commerce setting against traditional retail. According to this model the retail process comprises five business functions, which we mapped as well onto the previous models in Table 1. This procedural view on the retail process is more or less in line with the 8 business functions identified by [33] for a similar purpose.

Some other reference models such as [20] exist and provide a specific focus on parts of the overall business process, such as order fulfillment and supply chain matters. These reference processes might be relevant on a more detailed level of the ERA.

Table 1: Business functions in the existing reference models

Becker [8]	Frank [29], [30]	Burt [11]	Gunasekaran [33]
Contracting Order Management	Procurement	Sourcing	Supplier Development Purchasing
Goods Receipt	Reception	---	---
Invoice Auditing Accounts Payable	Payment	---	---
Warehousing	---	Stockholding	Warehousing
Marketing	Pre-sales communication Customer Relations	Marketing Branding	Design Marketing
Selling	Initiation and Pricing	Customer Selection (Pick and Pay)	Sales
Good Issue Billing	Order Processing	Distribution	Distribution
Accounts Receivable	Collection	---	---
Return Handling (in Good Issue)	---	---	---
---	Customer Service	---	---

None of the above mentioned models considers *return handling* activities as a primary business function. Compared to traditional retail, return handling is a critical activity, as the volume of returned goods is much higher in online shopping. A proper return handling strategy is essential for online retailers in order to limit the expenses caused by these high volumes. In three of the models we are also missing an explicitly defined customer service business function. Other than in offline retailing, online customers need to be provided with a hotline and e-mail help center in case of any individual inquiries or exceptions from the regular transaction process, which does not involve any personal contact as opposed to a brick and mortar shop.

Apart from these minor functional gaps, existing retail models do not cover IT aspects such as application layer and technology components that make up a complete enterprise architecture. Building information systems based on the available models will eventually lead to information systems that support either one specific business function or the end to end process. These are in most cases either a bunch of horizontally oriented systems that support one business function only or monolithic systems that are not able to support the integration of specific application services. In order to overcome this development a reference architecture model that includes all required IT services which can be reused across business functions will lead to an agile and open architecture.

### 3.3 The ArchiMate Modeling Language for Enterprise Architectures

The modeling language of a reference model is important because it sets the formal framework and viewpoints taken in the specification of the systems. The H-Model and the E-MEMO model for example are using the ARIS framework and the process modeling language MEMO-OrgML respectively. To facilitate the shift from this process centric modelling frameworks to a more comprehensive view of the enterprise architecture, the ERA presented in this paper is specified using the ArchiMate language [37] which was developed to model all the aspects of complex organizations.

Figure 2 shows a simplified version of the ArchiMate core meta-model. The language distinguishes between three layers: the business layer, the application layer, and the technology layer. Within each layer, ArchiMate considers structural, behavioral, and informational aspects. It also identifies relationships between and within the layers. Each layer is a means to provide services to the next higher level where the highest level provides business services to the customer. For a full description of the language, we refer to [37].




Figure 2: Simplified archimate meta-model

## 4 Systematic Literature Review

Lee et al. presented an overview of literature studies on the e-commerce topic in [49]. According to Lee et al. existing literature reviews fall into either of the following two categories: generic reviews identifying themes and methods in e-commerce across disciplines [19], [48], [56], [69], [74] or studies focused on one specific aspect of e-commerce namely economic theories [43], marketing [63], customer relation and satisfaction [15], [60], adoption [16], payment [21] and marketplaces [71].

According to this categorization our contribution falls into the category of studies aggregating existing knowledge from literature with regards to one specific theme. Other than the existing literature reviews our focus lies on the *identification of building blocks for e-commerce architectures* discussed in recent e-commerce studies. These will allow us to develop a state of the art e-commerce reference architecture based on the knowledge of the last decade. In this section we are going to describe how this research was carried out.

### 4.1 Data Sources and Search Strategy

In order to capture a maximum number of relevant sources we carried out two selection cycles. The search query for the first selection cycle was developed collectively by the authors. The search query of the second selection phase reflects synonyms and related terms that were found during the first selection phase. The following search query was defined for the first selection phase:

(E-commerce OR electronic commerce) AND (architecture OR SOA OR EA OR reference model OR platform)

To increase the ratio of relevant contributions and due to the generic nature of some of the used search terms we limited the search to the title and abstract of the publications. We also limited the search to publications that were published within the last 10 years as we want to investigate on the state of the art. The literature review was carried out in 2013. The year 2003 can be considered as an adequate time horizon as the modern web (web 2.0 and web services) was born around that time. To find scientific literature that matches the search query we have been using six electronic indexing sources. Due to the high number of duplicates during the first selection cycle we conclude that adding more search sources to the list will not significantly increase the number of relevant papers. The indexing sources we used are:

1. Web of Science (Site 1)
2. CiteseerX (Site 2)
3. ScienceDirect (Site 3)
4. IEEEXplore (Site 4)
5. Association for Computing Machinery (ACM) Digital Library (Site 5)
6. Springer Link (Site 6)

Some of the above mentioned literature search services allow the direct entry of the search query, some require multiple searches to achieve the same. After omitting the duplicates and scanning the titles 880 documents were taken into the selection phase described in Section 4.2.

After selecting the papers the search terms have been extended to cover synonyms and related terms that turned out to occur often in the abstract of relevant publications. In the second selection phase the following query was applied:

(E-commerce or ecommerce or electronic commerce) and (component or model or process or framework or platform or service o cloud)

After pre-selection and removal of duplicates 3292 additional papers entered the selection phase.

## 4.2 Study Selection and Study Quality Assessment

To select relevant publications from the large list of found documents we filtered them based on their title, abstract and available meta-information by using the following inclusive criteria:

- The document is published in a journal, conference, workshop, as a technical report, thesis or book (chapter) to ensure that search results meet certain academic quality standards and have been peer reviewed.
- The document proposes an architecture for e-commerce scenarios or discusses design principles or best practices.

All papers have been scanned independently by the first two authors to increase objectivity of the results. After applying the above filtering criteria a list of 864 papers has been generated. To further limit the amount of papers considered for this study the papers have been rated with scores from 1-5 by scanning the full content of the paper:

- 1 Pts Has no relationship to e-commerce architecture at all
- 2 Pts Discusses one aspect of e-commerce architecture
- 3 Pts Discusses several aspects of e-commerce architecture
- 4 Pts Proposes a partial architecture
- 5 Pts Proposes a full architecture

The results of the scoring of both authors have been then merged: papers where the scores differed by more than 1 point have been further discussed resulting in an agreed upon adjustment of the score. All papers with an average score of more than 3.5 are included in the final literature list resulting in a total of 48 papers [1]-[4], [6], [7], [12]-[14], [18], [22]-[24], [26], [28], [29], [31], [32], [34]-[36], [38], [39], [41], [42], [44], [46], [47], [50]-[53], [55], [58], [61], [65]-[68], [72], [73], [76], [79]-[84].

Based on the papers of the final selection of literature we have carried out the literature review. This has been done by using a coding technique that extracts categories from the paper [62]. By using in-vivo codes the authors extracted the relevant architectural concepts from the papers and later grouped them into semantically identical categories. This way we maximize objectivity while identifying the architectural building blocks and minimize the effect of projecting the authors' assumptions on e-commerce architectures when applying predefined criteria to the sample. In the next section we are going to present the results of the coding.

### 4.3 Results

The purpose of this section is to give an extensive overview of the academic research on e-commerce architectures since 2003. In order to do so, both a qualitative and a quantitative analysis are carried out. We deem both analyses as necessary because the quantitative analysis helps us to get a general overview of the trends and topics in academic research on e-commerce architectures, while the qualitative analysis gives insights into the content of the papers and forms the base for the identification of artefacts belonging to the reference model. Four different perspectives are taken that are used to classify and analyze the selected literature.

In the first place, the papers are analyzed from a technological point of view. This first dimension describes the underlying *software technology or the framework* used to design the solution. Both are included, since not all papers design a technology oriented architecture, but may take other perspectives such as knowledge, stakeholders, or process perspectives. By doing this, we provide an overview of the used technology and extract relevant information for the reference model. Secondly, the different types of artifacts have been proposed by the various authors (e.g., an architecture description, model, or a framework). Thus, the second dimension aims at classifying the selected papers according to the *type and nature of the proposed artifact*. The third dimension is concerned with application functionality, i.e. the *functional building blocks* (e.g., the *application services*) of the proposed solutions. According to the ArchiMate meta-model these could be components, services, application functions, objects etc. of the proposed solutions. Extracting them from the selected literature provides us with an overview of the most relevant and most discussed functional building blocks which will be further used as the basis for the application layer of the reference model. Similarly, the fourth dimension is concerned with *technological building blocks* of the proposed solution such as devices, nodes, system software and infrastructure functions. These form the basis for ERA's technology layer.

The analysis of the papers in scope with respect to the used technology (see Figure 3) revealed the extensive use of service-oriented technologies in e-commerce. Out of the 48 papers, 28 are related to *service-oriented architecture*. Therefore, one can say that academic research is particularly focused on service-oriented technologies. The second most frequently mentioned technology is *component-based* with six papers. Only three of the analyzed papers discuss *agent-based architectures*. Two papers have focused on processes and another two on workflow architectures. Please note that papers, which include more than one technology (e.g. [13]), are only represented once depending on the main technology. Two papers (knowledge-based and stakeholder-viewpoint) take a unique viewpoint and use approaches, which are normally outside the scope of enterprise architectures. Four papers do not mention any technology, and propose a generic and high-level architecture. In such case a mapping to a specific technology was not possible.




Figure 3: Number of articles per technology

In the selected articles, authors referred to technologies in relation with the development of different artifacts (Figure 4). 22 papers proposed an architecture, in which they define how their services, components, etc. interact with each other, and how they are layered. Five papers analyzed commonalities of architectures (namely by proposing reference architectures). In terms of frequency, the architecture papers are followed by eight model papers and three reference model papers, which propose specific designs. The five framework papers focus on the role of the services, components, etc.




Figure 4: Number of articles per artifact

When analyzing the selected articles from a functional perspective, one can see a great variety of the implemented functions. A total of 85 functional features are proposed. The 85 features are mentioned in 37 articles (10 articles do not propose any functionality). Table 2 shows the functions mentioned in at least two papers. These are 19 functions (22.4% of the total amount of functions). Looking at the most frequently analyzed features (occurring in more than 3 articles) one gets an overview of the main application layer concepts supported by e-commerce solutions. Especially *order* (18 articles) and *payment* (13 articles) functions are popular and analyzed by many authors. While most of these functional building blocks are common to traditional shops as well, *search* and *product information* are rather technical and specific to the electronic-channel.

Table 2: Publications per application layer concept

# Art.	Articles	Application Concept	# Art.	Articles	Application Concept
18	[2], [3], [13], [22], [32], [38], [42], [46], [47], [50]-[52], [61], [66], [68], [72], [76], [80]	Order	3	[29], [66], [83]	Sales
13	[7], [26], [38], [39], [41], [46], [47], [50]-[53], [58], [84]	Payment		[46], [52], [53]	Shipping
8	[7], [26], [41], [46], [50], [67], [81], [83]	Logistics	2	[80], [83]	Bank
6	[55], [61], [67], [76], [79], [82]	Finance		[39], [53]	Billing
5	[13], [46], [50], [51], [61]	Product information		[6], [28]	Contract
	[6], [39], [51], [53], [72]	Negotiation		[18], [66]	Customer Service
4	[2], [23], [55], [67]	Procurement		[23], [55]	Fulfillment
	[7], [50], [51], [67]	Search		[47], [58]	Product
3	[7], [26], [80]	Authentication		[3], [53]	Purchase
	[29], [42], [52]	Production	[29], [67]	Sourcing	
			10	[1], [4], [24], [31], [34]-[36], [44], [65], [73]	None

Categorizing the articles into functional categories across the supply chain gives additional insights (Figure 5). While only seven of thirty-seven articles cover the upstream supply-chain activities (procurement), 36 of 37 articles analyze the downstream activities (distribution). The only paper, which discusses functional aspects but leaves out distributive parts, is [17] with a focus on customer service and integration. 16 articles discuss customer service related functions such as customer relationship management. Three articles discuss warehouse related topics, such as stock management. 22 articles analyze functions, which do not fit into this scheme. These functions vary from business related topics, such as general audits to technical topics, such as certificates or central processing.




Figure 5: Number of articles per functional category

Besides a main technology, we also identified specific technology related concepts discussed in the selected papers. Those concepts form the basis for the technology layer of the reference architecture. 15 different concepts have been covered in the papers, which is significantly less than the functional concepts we discussed earlier. Also the consensus between the different papers is higher in this respect as only three concepts have been found in less than 2 papers. The results are presented in Table 3.

Table 3: Publication per technology layer concept

# Art.	Articles	Technology Concept	# Art.	Articles	Technology Concept
29	[1]-[3], [6], [7], [13], [18], [22], [23], [26], [28], [32], [35], [38], [42], [46], [47], [51]-[53], [55], [61], [66]-[68], [73], [80], [81], [83]	Integration and message based data exchange	6	[4], [26], [44], [58], [61], [84]	Network Infrastructure
			4	[35], [47], [53], [83]	Process and Service Monitoring and Analytics
21	[1], [7], [12], [14], [18], [26], [31], [32], [38], [41], [42], [44], [46], [47], [50]-[52], [58], [76], [80], [84]	Frontend Applications/ Web Portal	3	[4], [58], [66]	Server Hardware/Virtualization
				[26], [31], [58]	Security/User Management
		Database	2	[12], [38]	E-Mail
10	[2], [12], [18], [23], [26], [32], [38], [41], [42], [44], [46], [47], [51]-[53], [58], [61], [66], [76], [80], [83]	Workflow/ Process Engine	1	[46], [58]	Operating System/Virtualization
				[52], [76]	Business Rule Engine
				[38]	Printing
8	[2], [18], [23], [31], [32], [38], [46], [53], [58], [80]	Backend Applications	6	[13]	Legacy Systems
				[65]	Cloud Based Systems
				[24], [29], [34], [39], [72], [82]	None

## 5 Reference Architecture

Reference models are a means to facilitate the process of information system design by providing enterprises with a reusable and adaptable blueprint for a class of domains. It helps to validate current solutions and supports the development and selection of new applications [27]. Especially organizations with limited resources can profit from such models [29]. Their benefits are lower costs, less expertise needed, and less time to design the architecture. A

model discussed and accepted by the e-commerce community is likely to lead to less error prone architectures as it reduces the risk of failures or gaps.

In this section, based on the four reference models discussed in Section 3.2 and the conclusions of the literature review, we propose a new extended ERA. The main distinctions between our model on one hand, and the existing models on the other hand reside in the scope and in comprehensiveness: all existing reference models are in essence process models while ours is a reference architecture model that goes beyond business process specifications. More precisely, in this section we cover the concepts belonging to the business, application and technology layers, i.e., the application services proposed enabling business processes, and the technology services that are used internally and enable the provisioning of the application services.

The approach we followed in designing the new reference architecture is based on the methodological foundation described in Section 3.3. The business layer of the ERA is based on the context and the existing process models presented in Sections 3.1 and 3.2. The application and technology layers are then derived from the findings of the literature review in Section 4.3. Figure 6 shows the three layers of the ERA as well as the relationships within and across the layers. In the following we are going to elaborate on each layer individually.

## 5.1 External Business Services

On the business layer, from an external viewpoint and according to the context of our model the online retailer provides three main services. Similarly to [51], we make a distinction between pre-trade, trade and post-trade in e-commerce. A more in depth investigation of activities and tools for external e-services in e-commerce is provided by [64]. In an online retail scenario pre-trade are product information services and encompass all activities in which the end customer gathers information and consultancy about available products leading to a possible buying decision.

*Product Information Services* are services offered by the e-commerce company prior to the sales transaction, such as:

- Searching for products to get specifications of the product and the offered price
- Getting subjective information on the products, such as reviews from other customers or the retailer
- Generating product recommendation based on customer profile information, especially on past purchases

*Product Purchase Services*, are the services which allow the customer to purchase the product. Those are:

- Order entry allowing the customer to close a buying contract
- Payment allowing the customer to settle purchases
- Fulfillment of the contract concerning the home delivery service of products to the customer

*Post Trade Services* are all the services which take place after the purchase, including:

- Warranty processing services such as repair or exchange of defect products
- Support services, e.g. troubleshooting problems or software updates
- Return services for damaged products or reverse transaction of purchased goods




Figure 6: Extended e-commerce reference architecture

## 5.2 Online Retail Process

Besides the high level external business services, an internal view of the business is provided which is based on the existing reference models presented in Section 3.2. This is realized by building clusters of identical or closely related

tasks such as Warehousing identified by [8] and Stockholding proposed by [11]. A complete set of ten business functions have been included in the ERA.

The model proposed in [8] is categorizing the business functions into procurement, warehousing and distribution related tasks. The other three models do not propose any categorization of business functions. In our model we position on the left side business functions that are directly contributing to external customer services. These are: 1) marketing and branding which includes all tasks to attract and inform customers, 2) pricing and selling which includes all tasks of the actual sales transactions, and 3) customer services which includes the tasks of communicating and responding to the customers inquiries. On the right side of the model the internal logistic value chain is presented and includes: 1) the receipt of ordered goods, 2) stockholding, 3) distribution of stored goods, and 4) handling of return shipments.

Further business functions include back office activities such as financial matters, for example: payment, collection and accounting. Finally, supplier development, assortment planning and procurement can be considered as the main strategic business functions.

### 5.3 Application Services and Components

The application layer describes the software artefacts used by the internal business users, customers and partners to achieve their business goals. Active structure elements of this layer are application components which are self-contained units of functionality. They include, among others, behavioral elements such as application functions, and services. Passive structure elements are data objects.

As a result of the literature survey in Section 4.3 we have identified 19 different concepts that are mapped onto the different element types of the ArchiMate language. More precisely, six main application components have been identified, namely *Procurement*, *Sales*, *Customer Service*, *Logistic*, *Finance* and *Production*. The latter has only limited applicability to e-commerce (see Section 3.1), which is confirmed by the limited contained functions and services discussed in the literature. Components such as *Sales* and *Procurement* provide a couple of application services. However, the application functions implementing those services have not been discussed in the literature. Although in general e-commerce literature provides an overview of the main application components, we get little insight into the specific details of these components.

Besides the main application components, other generic components have been mentioned in the literature, such as *Authentication*, and *Search*. These components are characterized by their universal applicability across the business specific applications. We argue that the list of such generic components could be extended with *Communication*, and *Collaboration* (including documentation), *Policy Automation*, and *Business Rules*, or *Data Analysis* and *Reporting* to name just a few.

Another building block contains the *Product Information* service based on the actual product data. We put these components separately as we think they do not belong to one specific application component but are shared resources across specific application services and functions. Furthermore, *Product Information* can be considered as just one out of a number of other shared resources in the e-commerce landscape. *Trading Community* data (customers, suppliers and partners) and *Sites* are other examples of master data that are used across application components.

A mapping of *Business Functions* to the *Application Components* has been carried out in order to identify gaps between the two layer models, and to find out if there are any business functions that are not supported by the application layer of the model or vice versa. Table 4 shows the result of this exercise. As mentioned in Section 3.1 production is not a critical business activity in the context of this study as we mainly deal with the retailing of finished goods. Only finishing or customization steps are considered as production activities in this context. Nevertheless production components have been mentioned in a number of e-commerce studies and, therefore, we consider them relevant during sales and order fulfillment. The procurement component is used in particular on the supply side, i.e. when purchasing, receiving, and paying goods. The sales component is critical throughout all other business functions that deal with the actual marketing, selling, and distribution activities. We also consider it for warehousing and receivables as stock levels and reverse sales transactions should be reported to the actual sales data. Customer service is relevant in pre-sales or marketing activities, during sales, and to provide after sales service, or returns. The logistic component is used for inbound, outbound, stockholding, and returns handling. Finally, the finance component handles accounting such as receivables and payables. It should also be able to enable monetary aspects of sales and reverse transactions.

### 5.4 Technology Services and Components

To complete the architectural model, a mapping of the concepts in Table 3 to the technology layer of the ArchiMate meta-model has been carried out. Despite of this classification, these concepts are connected to each other.

Table 4: Mapping of business functions to application components of the ERA

Application Component \ Business Function	Procurement	Production	Sales	Cust. Service	Logistic	Finance
Purchasing / Procurement	X					
Goods Receipt	X				X	
Payment / Payables	X					X
Warehousing / Stockholding			X		X	
Marketing / Branding			X	X		
Pricing / Selling		X	X	X		X
Goods Issue / Distribution		X	X		X	
Collection / Receivables			X			X
Return Handling			X	X	X	X
Customer Service				X		

Hardware and Network infrastructures act as fundamental basis for other concepts. Supported by these infrastructures, technological advances emerge; these advances started by *Legacy Systems*, which are a special type of systems that is characterized by its use of outdated technologies and its potential replacement; and continued by *Cloud Systems*, which can be considered as an alternative to on-site systems, and as a special type of virtualized hardware infrastructure. Both have been discussed only in one study, [13], [65], respectively.

Furthermore, four main active structure elements in the technology layer discussed throughout the reviewed papers are *Application Server*, *Database*, *Workflow* and *Business Rule Engine* nodes. They provide the *Web Frontend* and *Backend Application* services as well as other services such as *Process and Service Monitoring* and *User Management*. Other services, such as *Printing* and *E-Mail*, have been mentioned in the literature without discussing the underlying components.

The by far most popular state of the art method for integration of internal and external systems is *Message Based Integration*, such as Electronic Data Interchange (EDI), web services or other more specific message oriented middleware. More recent approaches (e.g. Representational State Transfer) or traditional technologies such as file transfers have not been found in the e-commerce literature.

## 6 Validation

To validate the ERA we carried out a single case study as proposed by [77]. The goal of the case study is to map the ERA to a real world case in order to identify potential gaps in the model. The chosen case originates from the order-to-delivery practice of a major Dutch online retailer for media and books. The architecture of the various key processes was gathered during a series of workshops in cooperation with the head of the organization and the IT architect. In the following we are going to present the high level architecture including four key processes, as well as the executing and contributing IT components.

### 6.1 Case Study

The case study consists of four core processes, and the required IT systems. The four processes are chosen with the goal of obtaining a comprehensive view of all IT systems, i.e., adding another core process to the architecture will not lead to any changes in the application layer. Figure 7 shows an overview of processes and systems. It includes pre-sales activities in the form of sales campaigns, the actual sales transaction and the customer credit check, as well as the picking and packing of the orders. In the following we are referring to the different layers of the ERA for validation.

### 6.2 Retail Processes

The ERA contains ten different business functions, which are responsible for the various processes. These are: three front office business functions responsible for pre-sales, sales, and post sales activities, three back office business functions, which can be further divided into strategic and operational functions, as well as four different supply chain functions.

The four core processes of the case study can be unambiguously mapped onto these business functions. The goal of the *run campaign* process is to increase sales through marketing initiatives which can be special offers, or other programs offered to a specific group of existing customers. The process encompasses the identification of the target customer group, selection of the customers, and the communication to the customer through various online channels. These pre-sales, front office activities are part of the marketing and branding business function of the ERA. The *sell product* process allows the customer to place an order providing delivery and payment information, and ends with the order confirmation. In terms of the ERA it is a front office sales activity and belongs to the pricing and selling business function. The purpose of the *credit check* is to approve the payment method for the transaction. Based on the past payment behavior of the customer and the information provided by an external credit agency certain payment methods such as purchase on account will be granted or not. The process can be considered as a back-office activity and is part of the collection and receivables business function. Finally, the *pick and pack* process is part of the order fulfillment business function which is one of the four supply chain activities of the ERA. This process encompasses the *split and combine* logic for orders with more than product, box size determination, picking of product and printing of invoices.




Figure 7: Processes and application systems

### 6.3 Application Services

Each of the described business processes is supported by a collaboration of application components. Within the collaboration one main component manages the overall process execution while the other components deliver additional logic or data. For example the sales transaction is handled by the web shop while the external payment service and the product catalog are providing additional payment functionality and product information. The provisioning of higher level services by composition of various services is reflected on the application service layer of the ERA. However most of the literature proposes distinct, generic business process management services responsible for orchestrating the various business services. This approach can be beneficial to support the centralized management of the business process life cycle including design, development, execution monitoring and improvement, but has not been globally adopted in practice.

The application services covered by the ERA include front office, back office, and supply chain services. However, on a more detailed level only particular services have been covered in the underlying literature. While for example the back office services for negotiation, contracting, sourcing and purchase are covered, sales and accounting related back office services from the case study have not been found. The same applies for the supply chain services where the warehousing service related topics are not being discussed in the reviewed e-commerce literature. One can argue that those topics are not specific to e-commerce as warehouse management is a generic

topic. However split and combine logic, box sizes calculation, and parcel registration require specialized functionality for e-commerce compared to other warehousing practices.

## 6.4 Application Components

When it comes to the actual application components providing the various application services the ERA contains eight main components. In the case study on the other hand nine different components are used. In Table 5 we map the application components of the case study to those included in the ERA.

The most dominant application component in the case study is the enterprise resource planning (ERP) system which covers financial, procurement and sales functionality. It also is the de facto master data management system. While the e-commerce literature differentiates between these components, in practice much functionality is bundled into one system and provided as modules. However, other components mentioned in the literature are more complex and are handled by a number of different systems. For example the logistic component consists of a warehouse management component, on the one hand, and the warehouse control system, on the other hand. In the same way the sales component consists of a web shop, a separate product catalog, and the sales module of the ERP system.

Table 5: Application components of the case study mapped to the ERA

Case study application components	ERA application component
Webshop Catalog ERP	Sales
ERP	Finance
ERP	Procurement
ERP	Master Data Management
Warehouse Control Warehouse Management	Logistic
Email Marketing Software (EMS) Data Warehouse Print	Generic Components
---	Production
Customer Service	Customer Service

## 6.5 Technology Services and Components

The ERA provides four different technology layer services. The application services and data services are consumed by the various business applications of the case study. As mentioned earlier the organization has not implemented a dedicated master data management system. Thus, there is no application layer counterpart to the technical data services. The same applies for the business process services where the company uses the build in functionality of the applications to support the process lifecycle. Accordingly the underlying technology components are less differentiated compared to the ERA. The various applications rely on various application server, and database nodes. One exception is the customer service application, which is entirely cloud-based, and has no footprint on the technical layer, a scenario which is also reflected in the ERA. However, the company operates advanced printing facilities, which are required for printing invoices and the production of flyers and leaflets that are included into the shipments. This component has not been found in the e-commerce literature and is not part of the ERA.

## 7 Conclusions

In this paper we have shown how traditional, process oriented e-commerce models can be extended to get insight into the application and technology layer services and components. We have studied relevant literature since 2003 and came up with an enterprise reference architecture, which is specified in the ArchiMate language. The reference architecture can be used for several purposes:

- It can be implemented in various ways. In particular the implementation of a service-oriented e-commerce platform is an upcoming research endeavor of the authors.
- It can be used to validate existing solutions with regards to their comprehensiveness.
- The architecture also gives an overview of the state of the art in e-commerce research and points out gaps as mentioned in Section 6.

The proposed architecture is drawing exclusively on components exposed in the academic e-commerce literature, and uses a well established framework to structure them. The architecture can, thus, be considered as objective, as it

excludes authors' or any biased parties' assumptions on e-commerce architectures such as platform or software vendors. On the other hand the architectures proposed in the literature might focus (due to topical trends or expected research value) on certain aspects and leave out some components that should belong to a comprehensive architecture. In the following we are discussing each architectural layer in this respect.

The business layer of the architecture is based on a number of existing reference models. The most dominant model in this collection is the Retail-H from [8]. The other models are matching all, a subset, or a specialization of the business functions identified by the Retail-H. The only exception to this is the customer service function which is only mentioned explicitly by the model by Frank [30]. We think this is due to the origin of the Retail-H model in a brick and mortar setting where individual customer communication is an inherent part of the sales process, which happens face to face. Frank's model in contrast focuses specifically on e-commerce and considers the fact that the sales process itself is automated, and individual communication requires a distinct practice, such as a call center.

The application layer of the ERA is based on the literature review, and proposes six main business specific application components. Furthermore, master data and generic constructs can be found in the model. As mentioned before the containing services can only be considered as a placeholder for further master data and generic services. Some of the main application components contain in turn further services, especially sales and procurement applications are discussed in more detail in the e-commerce literature. Other applications such as customer service or logistic are not very elaborated. This might be due to their extensive applicability in broader contexts than just e-commerce settings. Further investigation of those topics in specific literature for customer service and logistics could be helpful to analyze in detail these application components, but is beyond the scope of this study. Nevertheless, from an enterprise architecture perspective, a good overview of the application layer is provided in the existing e-commerce literature.

The technical layer of the proposed reference architecture contains the most common middleware nodes, the underlying infrastructure, and the services used by the different application layer components. The implementation of all the services is not described in detail. For example, security and user management is described in various studies, but we learn very little about how these are implemented in an e-commerce context (for example what encryption techniques are applied or how users are managed across applications). The e-commerce literature is not going much into detail here, probably assuming that the implementation of those technical services does not differ from those used in other domains. Similarly to the application layer, going into the details about printing or user management systems would be beyond the scope of this study.

The comprehensive view of the overall process and data has led to large end-to-end monolithic software solutions in the past. Nowadays companies are struggling to maintain and to replace those legacy applications with new systems or cloud-based offerings. The shift from modeling application functionality as self-contained services may help companies to build their systems in a way that pluggable components can be exchanged more easily with new offerings based on the business needs and without architectural constraints.

The surveyed literature helped us identify the most important functional and technical building blocks facilitating e-commerce operations. These findings helped us transform existing reference models and identify required services. The evaluation has shown that there is no gap between the systems covered in the case study and the reference model layers. Further evaluation of the architecture is possible through validation by experts or an analysis of existing solutions on the market. While the latter is subject to another future research by the authors, we think it has a higher risk of subjectivity than the presented approach.

When shifting from monolithic systems to integrated self-contained services new challenges will arise. To assure variety and flexibility in a system, a platform is required as a stable unit among the evolving services [5]. Building a service platform for e-commerce that allows to integrate the functional building blocks identified in this study will help retailers and partners to achieve more flexibility and sustained innovation. While platforms are slowly evolving in the industry no research has been carried out on what components such service platforms require. The quality, complexity, and pluggability of the resulting system, and its downsides are subject for future research.

## Website List

Site 1: Web of Science  
<http://apps.webofknowledge.com>

Site 2: CiteseerX  
<http://citeseerx.ist.psu.edu>

Site 3: ScienceDirect  
<http://www.sciencedirect.com/>

Site 4: IEEEXplore  
<http://ieeexplore.ieee.org>

Site 5: Association for Computing Machinery (ACM) Digital Library  
<http://dl.acm.org/>

Site 6: Springer Link  
<http://link.springer.com/>

## References

- [1] C. C. Albrecht, D. L. Dean and J. V. Hansen, Marketplace and technology standards for B2B e-commerce: progress, challenges, and the state of the art, *Information and Management*, vol. 42, no. 6, pp. 865-875, 2005.
- [2] Y. Baghdadi, ABBA: An architecture for deploying business-to-business electronic commerce applications, *Electronic Commerce Research and Applications*, vol. 3, no. 2, pp. 190-212, 2004.
- [3] Y. Baghdadi, A web services-based business interactions manager to support electronic commerce applications, in *Proceedings of the 7th International Conference on Electronic Commerce*, New York, NY, USA, 2005, pp. 435-445.
- [4] Z. Baida, H. de Bruin and J. Gordijn, E-Business cases assessment: From business value to system feasibility, *International Journal of Web Engineering and Technology*, vol. 1, no. 1, pp. 127-144, 2003.
- [5] C. Y. Baldwin, The architecture of platforms: A unified view, in *platforms, markets and innovation*, Edward Elgar Publishing, Boston, MA, Working Paper 09-034, 2011.
- [6] A. Baquero and R. N. Taylor, A multidimensional evaluation of integrative e-commerce architectures, Institute for Software Research, University of California, Irvine, Technical Report # UCI-ISR-12-9, 2012.
- [7] A. Basu and S. Muylle, Online support for commerce processes by web retailers, *Decision Support Systems*, vol. 34, no. 4, pp. 379-395, 2003.
- [8] J. Becker and R. Schutte, A reference model for retail enterprises, in *Reference Modeling for Business Systems Analysis* (P. Fetke and P. Loos, Eds.). Hershey, PA, IGI Global, 2007, pp. 182-205.
- [9] Blauw Research. (2013, February) Thuiswinkel markt monitor. Thuiswinkel Waarborg. [Online]. Available: [https://www.thuiswinkel.org/data/uploads/marktonderzoeken/Thuiswinkel\\_Markt\\_Monitor/Infographic\\_Thuiswinkel\\_Markt\\_Monitor\\_2013-2.pdf](https://www.thuiswinkel.org/data/uploads/marktonderzoeken/Thuiswinkel_Markt_Monitor/Infographic_Thuiswinkel_Markt_Monitor_2013-2.pdf)
- [10] Blauw Research and GfK Retail and Technology. (2012) Online betalen. Thuiswinkel Waarborg. [Online]. Available: <https://www.thuiswinkel.org/bedrijven/publicatie/27/online-betalen>
- [11] S. Burt and L. Sparks, E-commerce and the retail process: A review, *Journal of Retailing and Consumer Services*, vol. 10, no. 5, pp. 275-286, 2003.
- [12] S. E. Chang and C.-W. Wang, Effectively generating and delivering personalized product information: Adopting the web 2.0 approach, in *Proceedings 2010 IEEE 24th International Conference on Advanced Information Networking and Applications Workshops (WAINA)*, Perth, Australia, 2010, pp. 401-406.
- [13] M. Chen, D. Zhang and L. Zhou, Empowering collaborative commerce with Web services enabled business process management systems, *Decision Support Systems*, vol. 43, no. 2, pp. 530-546, 2007.
- [14] P.-K. Chen and C.-H. Su, The e-business strategies fit on different supply chain integration structures, *African Journal of Business Management*, vol. 5, no. 16, pp. 7130-7141, 2011.
- [15] Q. Chen, S. Rodgers and Y. He, A critical review of the e-satisfaction literature, *American Behavioral Scientist*, vol. 52, no. 1, pp. 38-59, 2008.
- [16] T. Chitura, S. Mupemhi, T. Dube, and J. Bolongkikit, Barriers to electronic commerce adoption in small and medium enterprises: A critical literature review, *Journal of Internet Banking and Commerce*, vol. 13, no. 2, pp. 1-13, 2008.
- [17] T.-H. Chou and Y.-M. Lee, Integrating e-services with a telecommunication e-commerce using EAI/SOA technology, in *Proceedings International Conference on Information Management, Innovation Management and Industrial Engineering, ICIII '08, Taipei, 2008*, pp. 385-388.
- [18] T. Chou and Y.-M. Lee, Integrating e-services with a telecommunication e-commerce using service-oriented architecture, *Journal of Software*, vol. 3, no. 9, pp. 60-67, 2008.
- [19] R. Clarke, *Appropriate research methods for electronic commerce*, Canberra: Xamax Consultancy, 2000.
- [20] K. L. Croxton, The order fulfillment process, *International Journal of Logistic Management*, vol. 14, no. 1, pp. 19-32, 2003.
- [21] T. Dahlberg, N. Mallat, J. Ondrus, and A. Zmijewska, Past, present and future of mobile payments research: A literature review, *Electronic Commerce Research and Applications*, vol. 7, no. 2, pp. 165-181, 2008.
- [22] J. Dorn, C. Grun, H. Werthner, and M. Zapletal, A survey of B2B methodologies and technologies: From business models towards deployment artifacts, in *Proceedings 40th Annual Hawaii International Conference on System Sciences HICSS07*, Waicoloa, HI, p. 143a, 2007.
- [23] A. El Ayadi, *Einsatz von SOA in e-commerce systemen*, M.S. thesis, HAW Hamburg, 2011.
- [24] W. Esswein, D.-K. S. Zumpe, and N. Sunke, Identifying the quality of e-commerce reference models, in *Proceedings of the 6th international Conference on Electronic Commerce*, New York, USA, 2004, pp. 288-295.
- [25] European Commission, (2015, March) Digital agenda scoreboard. Digital Agenda for Europe. [Online]. Available: <http://ec.europa.eu/digital-agenda/en/digital-agenda-scoreboard>
- [26] G. Feipeng and L. Qibei, The research and implementation of supply chain resource integration platform on textile industry, in *Proceedings 2010 International Forum on Information Technology and Applications (IFITA)*, Kunming, China, 2010, vol. 2, pp. 16-19.

- [27] P. Fettke and P. Loos, Perspectives on reference modeling, in Reference Modeling for Business Systems Analysis (P. Fettke and P. Loos, Eds.). Hershey, PA, IGI Global, 2007, pp. 1-21.
- [28] G. Fragidis and K. Tarabanis, An extended SOA model for customer-centric e-commerce, in Proceedings IEEE International Conference on E-Business Engineering, ICEBE '08, Xi'an, 2008, pp. 771-775.
- [29] P. D. U. Frank, E-MEMO: Referenzmodelle zur ökonomischen Realisierung leistungsfähiger Infrastrukturen für electronic commerce, *Wirtschaftsinformatik*, vol. 46, no. 5, pp. 373-381, 2004.
- [30] U. Frank and C. Lange. (2004) Referenzgeschäftsprozesse und Strategien im e-commerce. ECOMOD. [Online]. Available: <http://www.wi-inf.uni-duisburg-essen.de/FGFrank/ecomod/index.php?lang=en>
- [31] D. Ganguly and S. Bhattacharyya, Winning the industrial competitiveness with e-commerce adopting component-based software architecture, in *Advances in Computer Science, Intelligent System and Environment*, vol. 2, Book 105 (D. Jin and S. Lin, Eds.). Berlin: Springer-Verlag Berlin, 2011, pp. 69-75.
- [32] H. Gao, J. Zhang, R. Povalej, and W. Stucky, Service-oriented modeling method for the development of an e-commerce platform, in Proceedings International Conference on E-Business and Information System Security, EBISS '09, Wuhan, 2009, pp. 1-5.
- [33] A. Gunasekaran and E. W. T. Ngai, Information systems in supply chain integration and management, *European Journal of Operational Research*, vol. 159, no. 2, pp. 269-295, 2004.
- [34] S. M. Hashemi, M. Razzazi and A. Bahrami, ISRUP e-service framework for agile enterprise architecting, in Proceedings Third International Conference on Information Technology: New Generations. ITNG, Las Vegas, NV, 2006, pp. 701-706.
- [35] G. A. Hernandez, C. S. Hernandez and J. O. O. Aguirre, BPIMS-WS: Brokering architecture for business processes integration in B2B e-commerce, in Proceedings 15th International Conference on Electronics, Communications and Computers, CONIELECOMP, Mexico City, 2005, pp. 160-165.
- [36] X. Hu, X. Wang, L. Sun, and Z. Xu, A real-time intelligent system for order processing in B2C e-commerce, *International Journal of Innovative Computing, Information and Control*, vol. 5, no. 11A, pp. 3691-3706, 2009.
- [37] M. Iacob, H. Jonkers, M. Lankhorst, E. Proper, and D. A. C. Quartel, ArchiMate 2.0 Specification. UK: The Open Group, 2012.
- [38] R. Iqbal, N. Shah, A. James, and T. Cichowicz, Integration, optimization and usability of enterprise applications, *Journal of Network and Computer Applications*, vol. 36, no. 6, pp. 1480-1488, 2013.
- [39] B. Jayaraman, D. J. Kim, D. J. Kim, M. Agrawal, M. Agrawal, H. R. Rao, and H. R. Rao, A comparison of B2B e-service solutions, *Communications of the ACM*, vol. 46, no. 12, pp. 317-324, 2003.
- [40] L. Jen and Y. Lee, Recommended Practice for Architectural Description of Software-Intensive Systems, IEEE, Standard, 2000.
- [41] C. Jiang and W. Song, An online third party payment framework in e-commerce, in Proceedings 2nd International Conference on Advanced Computer Control, ICACC, Shanghai, 2010, pp. 242-245.
- [42] J. Jiao and M. G. Helander, Development of an electronic configure-to-order platform for customized product development, *Computers in Industry*, vol. 57, no. 3, pp. 231-244, 2006.
- [43] R. J. Kauffman and E. A. Walden, Economics and electronic commerce: Survey and directions for research, *International Journal of Electronic Commerce*, vol. 5, no. 4, pp. 5-116, 2001.
- [44] S. Kim and W. W. Smari, On a collaborative commerce framework and architecture for next generation commerce, in Proceedings of the 2005 International Symposium on Collaborative Technologies and Systems, St Louis, MO, 2005, pp. 282-289.
- [45] B. Kitchenham, Procedures for performing systematic reviews, Software Engineering Group Department of Computer Science Keele University, Staffordshire, England, Technical Report TR/SE-0401, 2004.
- [46] G. Lackermair, Hybrid cloud architectures for the online commerce, *Procedia Computer Science*, vol. 3, pp. 550-555, 2011.
- [47] J. Lan, Y. Liu and Y. Chai, A solution model for service-oriented architecture, in Proceedings 7th World Congress on Intelligent Control and Automation, WCICA, Chongqing, 2008, pp. 4184-4189.
- [48] S. M. Lee, T. Hwang and J. Kim, An analysis of diversity in electronic commerce research, *International Journal of Electronic Commerce*, vol. 12, no. 1, pp. 31-67, 2007.
- [49] S. M. Lee, T. Hwang and D. H. Lee, Evolution of research areas, themes, and methods in electronic commerce, *Journal of Organizational Computing and Electronic Commerce*, vol. 21, no. 3, pp. 177-201, 2011.
- [50] M. Li and M. Dong, A case study: Liquor enterprise e-commerce platform construction, in Proceedings 2nd International Conference on E-Business and Information System Security, EBISS, Wuhan, 2010, pp.1-4 .
- [51] D.-R. Liu and T.-F. Hwang, An agent-based approach to flexible commerce in intermediary-centric electronic markets, *Journal of Network and Computer Applications*, vol. 27, no. 1, pp. 33-48, 2004.
- [52] J. X. Liu, S. S. Zhang and J. M. Hu, A case study of an inter-enterprise workflow-supported supply chain management system, *Information and Management*, vol. 42, no. 3, pp. 441-454, 2005.
- [53] B. Medjahed, B. Benatallah, A. Bouguettaya, A. H. H. Ngu, and A. K. Elmagarmid, Business-to-business interactions: issues and enabling technologies, *VLDB Journal*, vol. 12, no. 1, pp. 59-85, 2003.
- [54] R. Merrifield, J. Calhoun and D. Stevens, The next revolution in productivity, *Harvard Business Review*, vol. 86, no. 6, p. 72, 2008.
- [55] U. A. Mohamed, G. H. Galal-Edeen and A. A. El-Zoghbi, Building integrated oil and gas B2B e-commerce hub architecture based on SOA, in Proceedings International Conference on E-Education, E-Business, E-Management, and E-Learning, IC4E, Sanya, 2010, pp. 599-608.
- [56] E. W. T. Ngai and F. K. T. Wat, A literature review and classification of electronic commerce research, *Information and Management*, vol. 39, no. 5, pp. 415-429, 2002.

- [57] K. Peffers, T. Tuunanen, M. A. Rothenberger, and S. Chatterjee, A design science research methodology for information systems research, *Journal of Management Information System*, vol. 24, no. 3, pp. 45-77, 2007.
- [58] P. Ling and Z. Mian, Outsourcing e-commerce model and platform system structure, in *Proceedings Fourth International Conference on Management of E-Commerce and E-Government ICMCG*, Wuhan, 2010, pp. 122-127.
- [59] S. Rao, S. E. Griffis and T. J. Goldsby, Failure to deliver? Linking online order fulfillment glitches with future purchase behavior, *Journal of Operations Managements*, vol. 29, no. 7-8, pp. 692-703, 2011.
- [60] N. C. Romano Jr. and J. Fjermestad, Electronic commerce customer relationship management: A research agenda, *Information Technolology Management*, vol. 4, no. 2-3, pp. 233-258, 2003.
- [61] A. Sabki, P. K. Ahmed and G. Hardaker, Developing an e-commerce solution: A case study of TimeXtra, *Journal of Enterprise Information Management*, vol. 17, no. 5, pp. 388-401, 2004.
- [62] J. Saldaña, An introduction to codes and coding, in *The Coding Manual for Qualitative Researchers* (J. Seaman, Ed.). Sage, 2012, pp. 1-40.
- [63] J. A. Schibrowsky, J. W. Peltier and A. Nill, The state of internet marketing research: A review of the literature and future research directions, *European Journal of Markketing*, vol. 41, no. 7/8, pp. 722-733, 2007.
- [64] M. Singh, E-services and their role in B2C e-commerce, *Managing Service Quality: An International Journal.*, vol. 12, no. 6, pp. 434-446, 2002.
- [65] H. Sun, Y. Liu, Y. Chai, and X. Sun, *A Novel Architecture Towards Trusted E-commerce Cloud*. Los Alamitos: IEEE Computer Society, 2012.
- [66] H. Tan, Design of e-commerce platform based on supply chain management, in *Information and Automation*, vol. 86 (L. Qi, Ed.). Berlin: Springer-Verlag Berlin, 2011, pp. 494-500.
- [67] J. M. Tenenbaum and R. Khare, Business services networks: Delivering the promises of B2B, in *Proceedings of the IEEE EEE05 international Workshop on Business Services Networks*, Piscataway, NJ, USA, 2005, pp. 8-8.
- [68] O. Thomas, K. Leyking and F. Dreifus, Using process models for the design of service-oriented architectures: Ethodology and e-commerce case study, in *Proceedings Hawaii International Conference on System Sciences of the 41st Annual*, 2008, pp. 109-109.
- [69] A. Urbaczewski, L. M. Jessup and B. Wheeler, Electronic commerce research: A taxonomy and synthesis, *Journal of Organizational Computing and Electronic Commerce*, vol. 12, no. 4, pp. 263-305, 2002.
- [70] D. W. Wallace, J. L. Giese and J. L. Johnson, Customer retailer loyalty in the context of multiple channel strategies, *Journal Retailing*, vol. 80, no. 4, pp. 249-263, 2004.
- [71] S. Wang, S. Zheng, L. Xu, D. Li, and H. Meng, A literature review of electronic marketplace research: Themes, theories and an integrative framework, *Information Systems Frontiers*, vol. 10, no. 5, pp. 555-571, 2008.
- [72] K. Wan, V. Alagar and N. Ibrahim, An extended service-oriented architecture for consumer-centric e-commerce, *International Journal of Information and Communication Technology Research*, vol. 3, no. 1, pp. 74-101, 2013.
- [73] X. Wan and L. Huang, Research on e-commerce application architecture based on the integration of workflow and agile service, in *Proceedings International Symposium on Electronic Commerce and Security*, Guangzhou, 2008, pp. 843-849.
- [74] J. Wareham, J. G. Zheng and D. Straub, Critical themes in electronic commerce research: a meta-analysis, *Journal of Information Technology*, vol. 20, no. 1, pp. 1-19, 2005.
- [75] S. Weinfurter, G. Wittmann, E. Stahl, M. Wittmann, and S. Pur, *Erfolgsfaktor payment*, ibi research GmbH, Regensburg, Germany, Market Analysis, 2013.
- [76] W. Wen, A knowledge-based intelligent electronic commerce system for selling agricultural products, *Computers and Electronics in Agriculture*, vol. 57, no. 1, pp. 33-46, 2007.
- [77] R. J. Wieringa, *Design Science Methodology for Information Systems and Software Engineering*. Berlin: Springer, 2014.
- [78] Y. Xia and G. P. Zhang, The impact of the online channel on retailers' performances: An empirical evaluation, *Decision Sciences*, vol. 41, no. 3, pp. 517-546, 2010.
- [79] J. Xu, I. Benbasat and R. T. Cenfetelli, Does live help service matter? An empirical test of the DeLone and McLean's extended model in the e-service context, in *Proceedings System Sciences (HICSS)*, 2010 43rd Hawaii International Conference on, Honolulu, 2010, pp. 1-10.
- [80] X. Yang, Z. Qiang, X. Zhao, and Z. Ling, Research on distributed e-commerce system architecture, in *Proceedings Eighth ACIS International Conference on Software Engineering, Artificial Intelligence, Networking, and Parallel/Distributed Computing, SNPDP*, vol. 2, Qingdao, 2007, pp. 821-825.
- [81] W. Ying and S. Dayong, Multi-agent framework for third party logistics in e-commerce, *Expert Systems with Applications*, vol. 29, no. 2, pp. 431-436, 2005.
- [82] Q. Zhang, J. Yang, C. Song, and Y. Yu, Research on the Architecture of iron and steel logistics e-commerce system, in *Proceedings International Conference on Management and Service Science*, 2009. MASS '09, Wuhan, 2009, pp. 1-4.
- [83] H. Zheng, L. Liu, and Y. Li, An information fusion-enabled third party e-commerce platform based on SOA, *Journal of Software*, vol. 4, no. 1, pp. 50-57, 2009.
- [84] Q. Zheng, Y. Han, S. Li, J. Dong, L. Yan, and J. Qin, E-commerce architecture and system design, in *Introduction to E-Commerce* (Q. Zheng, Ed.). Berlin: Springer Berlin Heidelberg, 2009, pp. 271-303.